



Wireless Heating Systems

# ECOLEC Price List 2017

Please telephone 01902 457575

SPACE SAVING VERTICAL & HORIZONTAL RADIANT PANEL WITHOUT VENTS (DEPTH 40mm)							EFS 1001	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
1.1	ECO 2000D/RP/PC/RX/V	2000 x 500 x 40	2000	1600	5459	425.00	354.17	
1.2	ECO 1500D/RP/PC/RX/V	1500 x 500 x 40	1500	1200	4094	364.00	303.33	
1.3	ECO 1000D/RP/PC/RX/V	1000x 500 x 40	1000	800	2729	315.00	262.50	
1.4	ECO 750D/RP/PC/RX/V	750 x 500 x 40	750	600	2047	247.00	205.83	
1.5	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365	192.00	160.00	
1.6	ECO 1000D/SB/RP/PC/RX/V	2000 x 250 x 40	1000	800	2729	327.00	272.50	
1.7	ECO 750D/SB/RP/PC/RX/V	1500 x 250 x 40	750	600	2047	309.00	257.50	
1.8	ECO 500D/SB/RP/PC/RX/V	1000 x 250 x 40	500	400	1365	276.00	230.00	
<b>Powder Coated Silver</b>								
2.1	ECO 2000D/RP/PCS/RX/V	2000 x 500 x 40	2000	1600	5459	502.00	418.33	
2.2	ECO 1500D/RP/PCS/RX/V	1500 x 500 x 40	1500	1200	4094	441.00	367.50	
2.3	ECO 1000D/RP/PCS/RX/V	1000x 500 x 40	1000	800	2729	386.00	321.67	
2.4	ECO 750D/RP/PCS/RX/V	750 x 500 x 40	750	600	2047	315.00	262.50	
2.5	ECO 500D/RP/PCS/RX	500 x 500 x 40	500	400	1365	259.00	215.83	
2.6	ECO 1000D/SB/RP/PCS/RX/V	2000 x 250 x 40	1000	800	2729	395.00	329.17	
2.7	ECO 750D/SB/RP/PCS/RX/V	1500 x 250 x 40	750	600	2047	363.00	302.50	
2.8	ECO 500D/SB/RP/PCS/RX/V	1000 x 250 x 40	500	400	1365	330.00	275.00	
<b>Powder Coated Black</b>								
3.1	ECO 2000D/RP/PCB/RX/V	2000 x 500 x 40	2000	1600	5459	502.00	418.33	
3.2	ECO 1500D/RP/PCB/RX/V	1500 x 500 x 40	1500	1200	4094	441.00	367.50	
3.3	ECO 1000D/RP/PCB/RX/V	1000x 500 x 40	1000	800	2729	386.00	321.67	
3.4	ECO 750D/RP/PCB/RX/V	750 x 500 x 40	750	600	2047	315.00	262.50	
3.5	ECO 500D/RP/PCB/RX	500 x 500 x 40	500	400	1365	259.00	215.83	
3.6	ECO 1000D/SB/RP/PCB/RX/V	2000 x 250 x 40	1000	800	2729	395.00	329.17	
3.7	ECO 750D/SB/RP/PCB/RX/V	1500 x 250 x 40	750	600	2047	363.00	302.50	
3.8	ECO 500D/SB/RP/PCB/RX/V	1000 x 250 x 40	500	400	1365	330.00	275.00	
<b>ALSO AVAILABLE IN HORIZONTAL FORMAT, WHEN ORDERING SIMPLY CHANGE THE LAST LETTER OF THE MODEL FROM 'V' TO 'H'</b>								
3.9	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 1.1 to 1.8</b>					132.00	110.00	

SPACE SAVING VERTICAL IP44 GLASS RADIATOR - Body & Glass in matching RAL Colours							EFS 1005	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
4.1	ECO 500D/IP44/GR/RX/	500 x 500 x 44	500	300	1023	635.00	529.17	
4.2	ECO 750D/IP44/GR/RX/V	750 x 500 x 44	750	450	1535	680.00	566.67	
4.3	ECO 1000D/IP44/GR/RX/V	1000 x 500 x 44	1000	600	2047	730.00	608.33	
4.4	ECO 1500D/IP44/GR/RX/V	1500 x 500 x 44	1500	900	3070	820.00	683.33	
4.5	ECO 2000D/IP44/GR/RX/V	2000 x 500 x 44	2000	1300	4435	990.00	825.00	
4.6	ECO 500D/SB/IP44/GR/RX/V	1000 x 250 x 44	500	300	1023	680.00	566.67	
4.7	ECO 750D/SB/IP44/GR/RX/V	1500 x 250 x 44	750	450	1535	750.00	625.00	
4.8	ECO 1000D/SB/IP44/GR/RX/V	2000 x 250 x 44	1000	600	2047	820.00	683.33	

**ALL RAL COLOURS ARE AVAILABLE.**

Sharrocks Street, Wolverhampton WV1 3RP

Tel: 01902 457575 Fax: 01902 457797 Email: [sales@ecolec.co.uk](mailto:sales@ecolec.co.uk) Website: [www.ecolec.co.uk](http://www.ecolec.co.uk)

## SPACE SAVING VERTICAL IP44 MIRROR RADIATOR - Available in White, Black or Silver body.

EFS 1006

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
5.1	ECO 500D/IP44/MR/RX/	500 x 500 x 44	500	300	1023	450.00	375.00
5.2	ECO 750D/IP44/MR/RX/V	750 x 500 x 44	750	450	1535	510.00	425.00
5.3	ECO 1000D/IP44/MR/RX/V	1000 x 500 x 44	1000	600	2047	570.00	475.00
5.4	ECO 1500D/IP44/MR/RX/V	1500 x 500 x 44	1500	900	3070	630.00	525.00
5.5	ECO 2000D/IP44/MR/RX/V	2000 x 500 x 44	2000	1300	4435	720.00	600.00
5.6	ECO 500D/SB/IP44/MR/RX/V	1000 x 250 x 44	500	300	1023	378.00	315.00
5.7	ECO 750D/SB/IP44/MR/RX/V	1500 x 250 x 44	750	450	1535	510.00	425.00
5.8	ECO 1000D/SB/IP44/MR/RX/V	2000 x 250 x 44	1000	600	2047	630.00	525.00
5.9	ECO 500D/CIR/IP44/PC/RX	614 Diameter x 44	500	300	1023	450.00	375.00

## NURSERY AND HEALTHCARE 43°C PANEL RADIATORS (DEPTH 40mm)

EFS 1012

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
6.1	ECO 1000DLL/IP44/PC/RX/43/V	2000 x 500 x 40	1000	590	2013	425.00	354.17
6.2	ECO 1000DL/IP44/PC/RX/43/V	1500 x 500 x 40	1000	443	1511	364.00	303.33
6.3	ECO 500DLL/IP44/PC/RX/43/V	1000 x 500 x 40	500	295	1006	315.00	262.50
6.4	ECO 500DL/IP44/PC/RX/43/V	750 x 500 x 40	500	222	757	247.00	205.83
6.5	ECO 250DLL/IP44/PC/RX/43	500 x 500 x 40	250	148	505	192.00	160.00
6.6	ECO 250DLL/SB/IP44/PC/RX/43/V	1000 x 250 x 40	250	148	505	276.00	230.00
6.7	ECO 500DL/SB/IP44/PC/RX/43/V	1500 x 250 x 40	500	222	757	309.00	257.50
6.8	ECO 500DLL/SB/IP44/PC/RX/43/V	2000 x 250 x 40	500	295	1006	327.00	272.50
6.9	ECO 2000DLL/IP44/PC/RX/43/V	2000 x 1000 x 40	2000	1180	4026	600.00	500.00
6.10	ECO 2000DL/IP44/PC/RX/43/V	1500 x 1000 x 40	2000	886	3012	540.00	450.00

## SPACE SAVING VERTICAL IP44 BATHROOM PANEL (DEPTH 40mm)

EFS 1008

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White</b>							
7.1	ECO 2000D/IP44/PC/RX/V	2000 x 500 x 40	2000	1600	5459	425.00	354.17
7.2	ECO 1500D/IP44/PC/RX/V	1500 x 500 x 40	1500	1200	4094	364.00	303.33
7.3	ECO 1000D/IP44/PC/RX/V	1000 x 500 x 40	1000	800	2729	315.00	262.50
7.4	ECO 500D/IP44/PC/RX	500 x 500 x 40	500	400	1364	192.00	160.00
7.5	ECO 2546/IP44/PC/RX/V	600 x 400 x 40	250	200	682	170.00	141.67
7.6	ECO 546/IP44/PC/RX/V	600 x 400 x 40	500	400	1364	192.00	160.00
7.7	ECO 500D/SB/IP44/PC/RX/V	1000 x 250 x 40	500	350	1194	276.00	230.00
7.8	ECO 750D/SB/IP44/PC/RX/V	1500 x 250 x 40	750	550	1876	309.00	257.50
7.9	ECO 1000D/SB/IP44/PC/RX/V	2000 x 250 x 40	1000	700	3753	327.00	272.50
7.10	ECO 750D/IP44/PC/RX/V	750 x 500 x 40	750	600	2047	247.00	205.83
<b>RAL COLOUR - Powder Coated (Please request available RAL colours when ordering)</b>							
7.11	ECO 2000D/IP44/RAL1014/RX/V	2000 x 500 x 40	2000	1600	5459	557.00	464.17
7.12	ECO 1500D/IP44/RAL1014/RX/V	1500 x 500 x 40	1500	1200	4094	496.00	413.33
7.13	ECO 1000D/IP44/RAL1014/RX/V	1000 x 500 x 40	1000	800	2729	447.00	372.50
7.14	ECO 500D/IP44/RAL1014/RX	500 x 500 x 40	500	400	1364	324.00	270.00
7.15	ECO 2546/IP44/RAL1014/RX/V	600 x 400 x 40	250	200	682	302.00	251.67
7.16	ECO 546/IP44/RAK1014/RX/V	600 x 400 x 40	500	400	1364	324.00	270.00
7.17	ECO 500D/SB/IP44/RAL1014/RX/V	1000 x 250 x 40	500	350	1194	408.00	340.00
7.18	ECO 750D/SB/IP44/RAL1014/RX/V	1500 x 250 x 40	750	550	1876	441.00	367.50
7.19	ECO 1000D/SB/IP44/RAL1014/RX/V	2000 x 250 x 40	1000	700	3753	459.00	382.50
7.20	ECO 750D/IP44/RAL1014/RX/V	750 x 500 x 40	750	600	2047	379.00	315.83
<b>Accessories</b>							
8.1	2 Polished Stainless Steel Towel Rails	500 x2			NEW	80.00	66.67
8.2	1 Polished Stainless Steel Towel Rail	500			NEW	40.00	33.33
8.3	1 Polished Stainless Steel Towel Rail	400			NEW	35.00	29.17
8.4	1 Polished Stainless Steel Towel Rail	250			NEW	30.00	25.00
8.5	1 Polished Stainless Steel Towel Rail	640			NEW	60.00	50.00
8.6	1 Polished Stainless Steel Towel Rail	740			NEW	72.00	60.00
8.7	1 Polished Stainless Steel Towel Rail	900			NEW	84.00	70.00
8.8	Pullcord Time Switch				NEW	46.00	38.33

SPACE SAVING RADIANT PANEL FOR USE IN CARAVANS WITH PV SOLAR CELLS (DEPTH 40mm)							EFS 1046	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
9.1	ECO 250D/RP/PC/RX	500 x 500 x 40	250	200	682	170.00	141.67	
9.2	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365	192.00	160.00	
9.3	ECO 750D/RP/PC/RX/V	750 x 500 x 40	750	600	2047	247.00	205.83	

SPACE SAVING VERTICAL IP44 43°C RADIANT HEALTHCARE PANEL (DEPTH 40mm)							EFS 1045	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
10.1	ECO 1000DLL/IP44/PC/RX/43/V	2000 x 500 x 40	1000	590	2013	425.00	354.17	
10.2	ECO 1000DL/IP44/PC/RX/43/V	1500 x 500 x 40	1000	443	1511	364.00	303.33	
10.3	ECO 500DLL/IP44/PC/RX/43/V	1000 x 500 x 40	500	295	1006	315.00	262.50	
10.4	ECO 500DL/IP44/PC/RX/43/V	750 x 500 x 40	500	222	757	247.00	205.83	
10.5	ECO 250DLL/IP44/PC/RX/43	500 x 500 x 40	250	148	505	192.00	160.00	
10.6	ECO 250DLL/SB/IP44/PC/RX/43/V	1000 x 250 x 40	250	148	505	276.00	230.00	
10.7	ECO 500DL/SB/IP44/PC/RX/43/V	1500 x 250 x 40	500	222	757	309.00	257.50	
10.8	ECO 500DLL/SB/IP44/PC/RX/43/V	2000 x 250 x 40	500	295	1006	327.00	272.50	
10.9	ECO 2000DLL/IP44/PC/RX/43/V	2000 x 1000 x 40	2000	1180	4026	600.00	500.00	
<b>Feet</b>								
11.1	FT1 x2 Powder Coated White	230 x2 for 250mm			NEW	30.00	25.00	
11.2	FT1 x2 Powder Coated Black or Silver	230 x2 for 250mm			NEW	36.00	30.00	
11.3	FT2 x2 Powder Coated - White	560 x2 for 500mm			NEW	40.00	33.33	
11.4	FT2 x2 Powder Coated Black or Silver	560 x2 for 500mm			NEW	46.00	38.33	

SPACE SAVING VERTICAL IP44 55°C RADIANT SCHOOL PANEL (DEPTH 40mm)							EFS 1013, 1030, 1031, 1032	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
12.1	ECO 1000DLL/IP44/PC/RX/55/V	2000 x 500 x 40	1000	860	2934	425.00	354.17	
12.2	ECO 1000DL/IP44/PC/RX/55/V	1500 x 500 x 40	1000	642	2190	364.00	303.33	
12.3	ECO 500DLL/IP44/PC/RX/55/V	1000 x 500 x 40	500	425	1450	315.00	262.50	
12.4	ECO 500DL/IP44/PC/RX/55/V	750 x 500 x 40	500	321	1095	247.00	205.83	
12.5	ECO 250DLL/IP44/PC/RX/55	500 x 500 x 40	250	214	730	192.00	160.00	
12.6	ECO 250DLL/SB/IP44/PC/RX/55/V	1000 x 250 x 40	250	214	730	276.00	230.00	
12.7	ECO 500DL/SB/IP44/PC/RX/55/V	1500 x 250 x 40	500	321	1095	309.00	257.50	
12.8	ECO 500DLL/SB/IP44/PC/RX/55/V	2000 x 250 x 40	500	425	1450	327.00	272.50	
12.9	ECO 2000DLL/IP44/PC/RX/55/V	2000 x 1000 x 40	2000	1560	5322	600.00	500.00	

HEALTHCARE LST 43°C FAN HEATER (DEPTH 100mm) WORKS WITH WCT 100/TX CONTROLLER							EFS 1016	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
13.1	LSTH 2000/43/PC/RX	1000 x 500 x 100	1900	1900	6482	256.00	213.33	
13.1a	LSTH 1000/43/PC/RX	600 x 300 x 100	950	950	3241	219.00	182.50	
<b>Powder Coated Silver</b>								
13.2	LSTH 2000/43/PCS/RX	1000 x 500 x 100	1900	1900	6482	276.00	230.00	
13.2a	LSTH 1000/43/PCS/RX	600 x 300 x 100	950	950	3241	259.00	215.83	
<b>Powder Coated Black</b>								
13.3	LSTH 2000/43/PCB/RX	1000 x 500 x 100	1900	1900	6482	276.00	230.00	
13.3a	LSTH 1000/43/PCB/RX	600 x 300 x 100	950	950	3241	259.00	215.83	

CEILING HEATER (DEPTH 35mm)							EFS 1018	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
14.1	ECO 300/80/FF/RP/PC/RX	595 x 595 x 40	300	200	682	184.00	153.33	
14.2	ECO 600/80/FF/RP/PC/RX	1195 x 595 x 40	600	400	1364	236.00	196.67	
14.2a	ECO 750/80/FF/RP/PC/RX	1195 x 595 x 40	750	600	2047	258.00	215.00	
14.2b	ECO 1250/80/FF/RP/PC/RX	1785 x 595 x 40	1250	1100	3412	330.00	275.00	
14.3	ECO 1000/CE/RP/PC/RX	2000 x 500 x 40	1000	800	2729	425.00	354.17	
14.4	ECO 750/CE/RP/PC/RX	1500 x 500 x 40	750	600	2047	364.00	303.33	
14.5	ECO 500/CE/RP/PC/RX	1000 x 500 x 40	500	400	1365	315.00	262.50	
14.6	ECO 750X/CE/RP/PC/RX	1000 x 750 x 40	750	600	2047	360.00	300.00	
14.7	ECO 1000/SB/CE/RP/PC/RX	2000 x 250 x 40	500	400	1365	327.00	272.50	
<b>Powder Coated Black</b>								
14.8	ECO 1000/CE/RP/PCB/RX	2000 x 500 x 40	1000	800	2729	502.00	418.33	
14.9	ECO 750/CE/RP/PCB/RX	1500 x 500 x 40	750	600	2047	441.00	367.50	
14.10	ECO 500/CE/RP/PCB/RX	1000 x 500 x 40	500	400	1365	386.00	321.67	
<b>Powder Coated Silver</b>								
14.11	ECO 1000/CE/RP/PCS/RX	2000 x 500 x 40	1000	800	2729	502.00	418.33	
14.12	ECO 750/CE/RP/PCS/RX	1500 x 500 x 40	750	600	2047	441.00	367.50	
14.13	ECO 500/CE/RP/PCS/RX	1000 x 500 x 40	500	400	1365	386.00	321.67	
<b>DISC HEAT CIRCLE</b>								
<b>Powder Coated White</b>								
14.14	ECO 250/CIR/RP/PC/RX	614mm Diameter	200	200	682	300.00	250.00	
<b>Powder Coated Black</b>								
14.15	ECO 250/CIR/RP/PCB/RX	614mm Diameter	200	200	682	360.00	300.00	
<b>Powder Coated Silver</b>								
14.16	ECO 250/CIR/RP/PCS/RX	614mm Diameter	200	200	682	360.00	300.00	
<b>HALF MOON</b>								
<b>Powder Coated White</b>								
14.17	ECO 500/HM/RP/PC/RX (x2 units)	1200mm Diameter Total	1000	800	2729	700.00	583.33	

CONTROLLERS							EFS 1037	
LINE REF	MODEL	SENSOR	POWER	PRICE INC. VAT	PRICE EXC. VAT			
15.1	REMOTE THERMOSTAT/TIMER	WCT 100/TX	AIR	BATTERY	105.00	87.50		
15.2	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ 70 °C	WCT 500/TX/70	AIR	BATTERY	140.00	116.67		
15.3	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ 55 °C	WCT 500/TX/STT	AIR	BATTERY	140.00	116.67		
15.4	230V MAINS KIT FOR WCT 100TX/500TX	MK1	AIR	MAINS	72.00	60.00		
15.5	LANDLORD CONTROL	WCT 300/TX	AIR	BATTERY	130.00	108.33		
15.6	4 HOUR HEATER TIMER WITH LED DIMMER	WCT 600/TX	DIMMER	BATTERY	130.00	108.33		
15.7	OPCC - OFF-PEAK CHANGEOVER CONTACTOR	ECO 7000	-	MAINS	170.00	141.67		

**NB. WE CAN SUPPLY YOU WITH A CIRCUIT DRAWING TO USE WITH ECONOMY 7**

ECALEC WIRELESS SMART THERMOSTAT WITH WEB-APP COMMUNICATIONS						
LINE REF	MODEL	POWER	PRICE INC. VAT	PRICE EXC. VAT		
15.8	MZ-01 HEALTHCARE	MAINS	84.00	70.00		
15.9	MZ-02	MAINS	96.00	80.00		
15.10	CUI-GATEWAY	MAINS	180.00	150.00		
15.11	MULTIPLE ZONE STARTER KIT INCLUDES 1x MZ-02 & CUI-GATEWAY	MAINS	276.00	230.00		

TRAPEZIUM ANTI-GLARE LED MIRROR RADIATOR (DEPTH 44mm)								EFS 1043
LINE REF	CODE	DIMENSIONS (H X W X D) MM	LED (WATTS)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White</b>								
17.1	AUR 500D/PC/IP44/MR/LED/V	500 x 500 x 44	10	500	300	1023	530.00	441.67
17.2	AUR 1000D/PC/IP44/MR/LED/V	1000 x 500 x 44	20	1000	600	2046	670.00	558.33
17.3	AUR 1500D/PC/IP44/MR/LED/V	1500 x 500 x 44	30	1500	900	3070	750.00	625.00
17.4	AUR 750D/SB/PC/IP44/MR/LED/V	1500 x 250 x 44	30	750	450	2046	700.00	583.33

ECOLEC SOLAR RADIANT PANEL FOR USE WITH immerSUN CONTROLLER (DEPTH 40mm)								EFS 1002
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
18.1	ECOLECSOLAR 250D	500 x 500 x 40	250	200	682	144.00	120.00	
18.2	ECOLECSOLAR 500D	500 x 500 x 40	500	400	1365	150.00	125.00	
18.3	ECOLECSOLAR 750D	500 x 750 x 40	750	600	2047	180.00	150.00	
18.4	ECOLECSOLAR 750D/SB	250 x 1500 x 40	750	600	2047	210.00	175.00	

SPACE SAVING RADIANT PANEL BRUSHED STAINLESS STEEL OR MIRROR FINISH (DEPTH 40mm)								
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Brushed Stainless Steel</b>								
19.1	ECO 1000DLL/RP/SS/RX/V	2000 x 500 x 40	1000	980	3343	530.00	441.67	
19.2	ECO 1000DL/RP/SS/RX/V	1500 x 500 x 40	1000	735	2507	465.00	387.50	
19.3	ECO 500DLL/RP/SS/RX/V	1000 x 500 x 40	500	490	1671	400.00	333.33	
<b>Mirror Finish</b>								
19.4	ECO 1000DLL/RP/MF/RX/V	2000 x 500 x 40	1000	680	2194	660.00	550.00	
19.5	ECO 1000DL/RP/MF/RX/V	1500 x 500 x 40	1000	500	1706	600.00	500.00	
19.6	ECO 500DLL/RP/MF/RX/V	1000 x 500 x 40	500	336	1146	530.00	441.67	

ALSO AVAILABLE IN HORIZONTAL FORMAT, WHEN ORDERING SIMPLY CHANGE THE LAST LETTER OF THE MODEL FROM 'V' TO 'H'

- CARRIAGE CHARGES NOT INCLUDED - ALL PRICES INCLUDE 20% VAT
- BESPOKE & SPECIAL NEEDS HEATERS AVAILABLE. PLEASE PHONE FOR A QUOTE
- WHEN DELIVERY IS MADE ON PALLETS, IT IS UPTO THE CUSTOMER TO UNLOAD AS THE DRIVER IS NOT CONTRACTED FOR THIS PURPOSE. ALL DELIVERIES ARE MADE TO THE GROUND FLOOR.
- ALL SPECIFICATIONS CAN CHANGE WITHOUT NOTICE.

- PLEASE CONSULT YOUR LOCAL NICEIC ELECTRICIAN
- CONNECT HEATERS TO A FUSED SPUR - BEST PRACTICE
- NON IP44 HEATERS CAN BE FITTED WITH A 13AMP PLUG

Sharrocks Street, Wolverhampton WV1 3RP

Tel: **01902 457575** Fax: **01902 457797** Email: **sales@ecolec.co.uk** Website: **www.ecolec.co.uk**