

ECOLEC Trade Price List 2012

Please telephone 01902 457575 for discount password

Wireless Heating Systems

SPACE SAVING VERTICAL & HORIZONTAL RADIANT PANEL WITHOUT VENTS (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
1.1	ECO 2000D/RP/PC/RX/V	500 x 2000 x 40	2000	1600	5459	385.00	320.83
1.2	ECO 1500D/RP/PC/RX/V	500 x 1500 x 40	1500	1200	4094	330.00	275.00
1.3	ECO 1000D/RP/PC/RX/V	500 x 1000 x 40	1000	800	2729	285.00	237.50
1.4	ECO 750D/RP/PC/RX/V	500 x 750 x 40	750	600	2047	235.00	195.83
1.5	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365	170.00	141.67
1.6	ECO 1000D/SB/RP/PC/RX/V	250 x 2000 x 40	1000	800	2729	311.00	259.17
1.7	ECO 750D/SB/RP/PC/RX/V	250 x 1500 x 40	750	600	2047	280.00	233.33
1.8	ECO 500D/SB/RP/PC/RX/V	250 x 1000 x 40	500	400	1365	250.00	208.33
Powder Coated Silver							
2.1	ECO 2000D/RP/PCS/RX/V	500 x 2000 x 40	2000	1600	5459	455.00	379.17
2.2	ECO 1500D/RP/PCS/RX/V	500 x 1500 x 40	1500	1200	4094	395.00	329.17
2.3	ECO 1000D/RP/PCS/RX/V	500 x 1000 x 40	1000	800	2729	350.00	291.67
2.4	ECO 750D/RP/PCS/RX/V	500 x 750 x 40	750	600	2047	300.00	250.00
2.5	ECO 500D/RP/PCS/RX	500 x 500 x 40	500	400	1365	235.00	195.83
2.6	ECO 1000D/SB/RP/PCS/RX/V	250 x 2000 x 40	1000	800	2729	376.00	313.33
2.7	ECO 750D/SB/RP/PCS/RX/V	250 x 1500 x 40	750	600	2047	345.00	287.50
2.8	ECO 500D/SB/RP/PCS/RX/V	250 x 1000 x 40	500	400	1365	315.00	262.50
Powder Coated Black							
3.1	ECO 2000D/RP/PCB/RX/V	500 x 2000 x 40	2000	1600	5459	455.00	379.17
3.2	ECO 1500D/RP/PCB/RX/V	500 x 1500 x 40	1500	1200	4094	395.00	329.17
3.3	ECO 1000D/RP/PCB/RX/V	500 x 1000 x 40	1000	800	2729	350.00	291.67
3.4	ECO 750D/RP/PCB/RX/V	500 x 750 x 40	750	600	2047	295.00	245.83
3.5	ECO 500D/RP/PCB/RX	500 x 500 x 40	500	400	1365	235.00	195.83
3.6	ECO 1000D/SB/RP/PCB/RX/V	250 x 2000 x 40	1000	800	2729	376.00	313.33
3.7	ECO 750D/SB/RP/PCB/RX/V	250 x 1500 x 40	750	600	2047	345.00	287.50
3.8	ECO 500D/SB/RP/PCB/RX/V	250 x 1000 x 40	500	400	1365	315.00	262.50

ALSO AVAILABLE IN HORIZONTAL FORMAT, WHEN ORDERING SIMPLY CHANGE THE LAST LETTER OF THE MODEL FROM 'V' TO 'H'

CHROME FINISH BATHROOM LADDER TOWEL RAIL

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
4.1	ELTR 50/82	500 x 820 X 80	300	300	1023	260.00	216.67
4.2	ELTR 60/118	600 x 1180 X 80	600	600	2047	305.00	254.17

DIGITAL THERMOSTATIC CONTROL ELEMENT INCLUDED - DOES NOT WORK WITH REMOTE CONTROL SYSTEM

SPACE SAVING VERTICAL IP44 GLASS RADIATOR - Ebony Black Gloss

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
5.1	ECO 500D/IP44/GR/RX/V	500 x 500 x 40	500	300	1023	605.00	504.17
5.2	ECO 750DL/IP44/GR/RX/V	500 x 750 x 40	750	450	1535	648.00	540.00
5.3	ECO 1000D/IP44/GR/RX/V	500 x 1000 x 40	1000	600	2047	695.00	579.17
5.4	ECO 1500D/IP44/GR/RX/V	500 x 1500 x 40	1500	900	3070	783.00	652.50
5.5	ECO 500D/SB/IP44/GR/RX/V	250 x 1000 x 40	500	300	1023	695.00	579.17
5.6	ECO 750D/SB/IP44/GR/RX/V	250 x 1500 x 40	750	450	1535	738.00	615.00
5.7	ECO 1000D/SB/IP44/GR/RX/V	250 x 2000 x 40	1000	600	2047	755.00	629.17
5.8	ECO 2000D/IP44/GR/RX/V	500 x 2000 x 40	2000	1300	4435	1090.00	908.33

ALL RAL COLOURS ARE AVAILABLE. PLEASE PHONE FOR A QUOTATION.

SPACE SAVING VERTICAL IP44 MIRROR RADIATOR - Silver

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
6.1	ECO 500D/IP44/MR/RX/V	500 x 500 x 40	500	300	1023	515.00	429.17
6.2	ECO 500DL/IP44/MR/RX/V	500 x 750 x 40	750	450	1535	558.00	465.00
6.3	ECO 1000D/IP44/MR/RX/V	500 x 1000 x 40	1000	600	2047	605.00	504.17
6.4	ECO 1500D/IP44/MR/RX/V	500 x 1500 x 40	1500	900	3070	750.00	625.00
6.5	ECO 500D/SB/IP44/MR/RX/V	250 x 1000 x 40	500	300	1023	605.00	504.17
6.6	ECO 750D/SB/IP44/MR/RX/V	250 x 1500 x 40	750	450	1535	648.00	540.00
6.7	ECO 1000D/SB/IP44/MR/RX/V	250 x 2000 x 40	1000	600	2047	663.00	552.50
6.8	ECO 2000D/IP44/MR/RX/V	500 x 2000 x 40	2000	1300	4435	805.00	670.83

SPACE SAVING VERTICAL & HORIZONTAL IP44 MyPICTURE RADIATOR

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
7.1	ECO 1500D/IP44/MP/RX/V	500 x 1500 x 40 x1 Units	1500	1100	3753	650.00	541.67
7.2	ECO 1500D/IP44/MP/RX/V/3	500 x 1500 x 40 x3 Units	4500	3300	11259	1700.00	1416.67
7.3	ECO 750D/IP44/MP/RX/V	250 x 1500 x 40 x1 Units	750	550	1876	500.00	416.67
7.4	ECO 750D/IP44/MP/RX/V/3	250 x 1500 x 40 x3 Units	2250	1650	5629	1200.00	1000.00

PLEASE SEND A SUITABLE HIGH RESOLUTION JPEG IMAGE FOR PRINTING

SPACE SAVING VERTICAL IP44 BATHROOM PANEL (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
8.1	ECO 2000D/IP44/PC/RX/V	500 x 2000 x 40	2000	1600	5459	385.00	320.83
8.2	ECO 1500D/IP44/PC/RX/V	500 x 1500 x 40	1500	1200	4094	330.00	275.00
8.3	ECO 1000D/IP44/PC/RX/V	500 x 1000 x 40	1000	800	2729	285.00	237.50
8.4	ECO 500D/IP44/PC/RX	500 x 500 x 40	500	400	1364	170.00	141.67
8.5	ECO 2546/IP44/PC/RX/V	400 x 600 x 40	250	200	682	160.00	133.33
8.6	ECO 546/IP44/PC/RX/V	400 x 600 x 40	500	400	1364	170.00	141.67
8.7	ECO 500D/SB/IP44/PC/RX/V	250 x 1000 x 40	500	350	1194	250.00	208.33
8.8	ECO 750D/SB/IP44/PC/RX/V	250 x 1500 x 40	750	550	1876	280.00	233.33
8.9	ECO 1000D/SB/IP44/PC/RX/V	250 x 2000 x 40	1000	700	3753	311.00	259.17
Accessories							
9.1	TR3 - 3 Chrome or Satin Stainless Steel Towel Rails					45.00	37.50
9.2	TR2 - 2 Chrome or Satin Stainless Steel Towel Rails					30.00	25.00
9.3	TR1 - 1 Chrome or Satin Stainless Steel Towel Rails					15.00	12.50
9.4	TR1 or TR2					15.00 / 30.00	12.50 / 25.00

EACH TOWEL RAIL INCLUDES 2 CHROME PLATED BRACKETS

SPACE SAVING TRAPEZIUM RADIANT PANEL HEATER (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
10.1	ECO 700/CU/RP/PC/RX/V	500 x 1000 x 40	700	600	2047	268.00	223.33
10.2	ECO 1100/CU/RP/PC/RX/V	500 x 1500 x 40	1100	1000	3412	310.00	258.33
10.3	ECO 1500/CU/RP/PC/RX/V	500 x 2000 x 40	1500	1400	4776	362.00	301.67
10.4	ECO 350/CU/RP/PC/RX/V	250 x 1000 x 40	350	300	1023	258.00	215.00
10.5	ECO 550/CU/RP/PC/RX/V	250 x 1500 x 40	550	500	1706	281.00	234.17
10.6	ECO 750/CU/RP/PC/RX/V	250 x 2000 x 40	750	700	2388	307.00	255.83

IF REQUIRED FOR BATHROOM USE, PLEASE CHANGE THE LETTER 'RP' TO 'IP44' WHEN PLACING YOUR ORDER.

AVAILABLE IN RAL 9016 WHITE AS STANDARD. ADD £60 EXTRA FOR THESE COLOURS, RAL 9005 BLACK, RAL 9001 MATT CREAM.

SPACE SAVING VERTICAL & HORIZONTAL RADIANT PANEL (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Brushed Stainless Steel							
11.1	ECO 1000DLL/RP/SS/RX/V	500 x 2000 x 40	1000	980	3343	480.00	400.00
11.2	ECO 1000DL/RP/SS/RX/V	500 x 1500 x 40	1000	735	2507	420.00	350.00
11.3	ECO 500DLL/RP/SS/RX/V	500 x 1000 x 40	500	490	1671	360.00	300.00
11.4	ECO 500DL/RP/SS/RX/V	500 x 750 x 40	500	373	1272	330.00	275.00
11.5	ECO 250DLL/RP/SS/RX	500 x 500 x 40	250	247	842	300.00	250.00
11.6	ECO 500DLL/SB/RP/SS/RX/V	250 x 2000 x 40	500	490	1671	390.00	325.00
11.7	ECO 500DL/SB/RP/SS/RX/V	250 x 1500 x 40	500	373	1272	360.00	300.00
11.8	ECO 250DLL/SB/RP/SS/RX/V	250 x 1000 x 40	250	247	842	330.00	275.00

Mirror Finish

11.9	ECO 1000DLL/RP/MF/RX/V	500 x 2000 x 40	1000	680	2194	600.00	500.00
11.10	ECO 1000DL/RP/MF/RX/V	500 x 1500 x 40	1000	500	1706	540.00	450.00
11.11	ECO 500DLL/RP/MF/RX/V	500 x 1000 x 40	500	336	1146	480.00	400.00

SPACE SAVING RADIANT CARAVAN PANEL (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
12.1	ECO 250D/RP/PC/RX	500 x 500 x 40	250	200	682	150.00	125.00
12.2	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365	170.00	141.67
12.3	ECO 750D/RP/PC/RX/V	500 x 750 x 40	750	600	2047	230.00	191.67

RADIATORS FOR 'SPECIAL NEEDS'**SPACE SAVING VERTICAL IP44 43°C RADIANT HEALTHCARE PANEL (DEPTH 40mm)**

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
13.1	ECO 1000DLL/IP44/PC/RX/43/V	500 x 2000 x 40	1000	590	2013	385.00	320.83
13.2	ECO 1000DL/IP44/PC/RX/43/V	500 x 1500 x 40	1000	443	1511	330.00	275.00
13.3	ECO 500DLL/IP44/PC/RX/43/V	500 x 1000 x 40	500	295	1006	285.00	237.50
13.4	ECO 500DL/IP44/PC/RX/43/V	500 x 750 x 40	500	222	757	235.00	195.83
13.5	ECO 250DLL/IP44/PC/RX/43	500 x 500 x 40	250	148	505	170.00	141.67
13.6	ECO 250DLL/SB/IP44/PC/RX/43/V	250 x 1000 x 40	250	148	505	250.00	208.33
13.7	ECO 500DL/SB/IP44/PC/RX/43/V	250 x 1500 x 40	500	222	757	280.00	233.33
13.8	ECO 500DLL/SB/IP44/PC/RX/43/V	250 x 2000 x 40	500	295	1006	311.00	259.17

SPACE SAVING VERTICAL IP44 55°C RADIANT SCHOOL PANEL (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
14.1	ECO 1000DLL/IP44/PC/RX/55/V	500 x 2000 x 40	1000	860	2934	385.00	320.83
14.2	ECO 1000DL/IP44/PC/RX/55/V	500 x 1500 x 40	1000	642	2190	330.00	275.00
14.3	ECO 500DLL/IP44/PC/RX/55/V	500 x 1000 x 40	500	425	1450	285.00	237.50
14.4	ECO 500DL/IP44/PC/RX/55/V	500 x 750 x 40	500	321	1095	235.00	195.83
14.5	ECO 250DLL/IP44/PC/RX/55	500 x 500 x 40	250	214	730	170.00	141.67
14.6	ECO 250DLL/SB/IP44/PC/RX/55/V	250 x 1000 x 40	250	214	730	250.00	208.33
14.7	ECO 500DL/SB/IP44/PC/RX/55/V	250 x 1500 x 40	500	321	1095	280.00	233.33
14.8	ECO 500DLL/SB/IP44/PC/RX/55/V	250 x 2000 x 40	500	425	1450	311.00	259.17

PRINTED IMAGES ALSO AVAILABLE FOR AN EXTRA £70.00 + VAT**COMPACT CONSERVATORY FAN HEATER (DEPTH 80mm) WORKS WITH WCT 100/TX CONTROLLER**

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
15.1	LST 2000/C/60/W/M/PC/RX	600 x 300 x 80	2000	2000	6824	199.00	165.83
15.2	LST 1500/C/60/W/M/PC/RX	600 x 300 x 80	1500	1500	5118	195.00	162.50
Powder Coated Silver							
15.3	LST 2000/C/60/W/M/PCS/RX	600 x 300 x 80	2000	2000	6824	220.00	183.33
15.4	LST 1500/C/60/W/M/PCS/RX	600 x 300 x 80	1500	1500	5118	215.00	179.16
Powder Coated Black							
15.5	LST 2000/C/60/W/M/PCB/RX	600 x 300 x 80	2000	2000	6824	220.00	183.33
15.6	LST 1500/C/60/W/M/PCB/RX	600 x 300 x 80	1500	1500	5118	215.00	179.16
Brushed Stainless Steel							
15.7	LST 2000/C/60/W/M/SS/RX	600 x 300 x 80	2000	2000	6824	240.00	200.00
Mirror Finish							
15.8	LST 2000/C/60/W/M/MF/RX	600 x 300 x 80	2000	2000	6824	275.00	229.17

COMPACT LST 43°C FAN HEATER (DEPTH 80mm) WORKS WITH WCT 100/TX CONTROLLER

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
16.1	LST 1000/C/43/WM/PC/RX	600 x 300 x 80	1000	1000	3412	190.00	158.33
Powder Coated Silver							
16.2	LST 1000/C/43/WM/PCS/RX	600 x 300 x 80	1000	1000	3412	220.00	183.33
Powder Coated Black							
16.3	LST 1000/C/43/WM/PCB/RX	600 x 300 x 80	1000	1000	3412	220.00	183.33
Brushed Stainless Steel							
16.4	LST 1000/C/43/WM/SS/RX	600 x 300 x 80	1000	1000	3412	240.00	200.00
Mirror Finish							
16.5	LST 1000/C/43/WM/MF/RX	600 x 300 x 80	1000	1000	3412	275.00	229.17

HEALTHCARE LST 43°C FAN HEATER (DEPTH 100mm) WORKS WITH WCT 100/TX CONTROLLER

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
17.1	LSTH 2000/43/PC/RX	1000 x 500 x 100	2000	2000	6824	256.00	213.33
Powder Coated Silver							
17.2	LSTH 2000/43/PCS/RX	1000 x 500 x 100	2000	2000	6824	276.00	230.00
Powder Coated Black							
17.3	LSTH 2000/43/PCB/RX	1000 x 500 x 100	2000	2000	6824	276.00	230.00

KICK SPACE HEATER WORKS WITH WCT 100/TX CONTROLLER

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Brushed Stainless Steel							
18.1	KS 2000/SS/RX	360 x 90 x 260	2000	2000	6824	190.00	158.33

CEILING HEATER (DEPTH 35mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
19.1	ECO 300/70/FF/RP/PC/RX	595 x 595 x 35	300	200	682	165.00	137.50
19.2	ECO 600/70/FF/RP/PC/RX	1195 x 595 x 35	600	400	1364	215.00	179.17
19.3	ECO 500/70/SM/RP/PC/RX	1000 x 500 x 35	500	400	1364	195.00	162.50
19.4	ECO 750/70/SM/RP/PC/RX	1500 x 500 x 35	750	600	2047	246.00	205.00

SPACE SAVING CIRCULAR RADIATOR

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Powder Coated White							
20.1	ECO 500D/IP44/PCW/CR/RX/V	690 Dia x 40 Deep	500	400	1364	420.00	350.00
Powder Coated Silver							
20.2	ECO 500D/IP44/PCS/CR/RX/V	690 Dia x 40 Deep	500	400	1364	460.00	383.33
Powder Coated Silver with Mirror							
20.3	ECO 500D/IP44/MRS/CR/RX/V	690 Dia x 44 Deep	500	375	1279	520.00	433.33

CONTROLLERS

LINE REF	MODEL	SENSOR	POWER	TRADE INC. VAT	TRADE EXC. VAT
21.1	REMOTE THERMOSTAT/TIMER	WCT 100/TX	AIR	BATTERY	105.00 87.50
21.6	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ	WCT 500/TX	AIR	BATTERY	140.00 116.67
21.2	TOUCH THERMOSTAT	WCT 200/TX	MOVEMENT	BATTERY	105.00 87.50
21.3	LANDLORD CONTROL	WCT 300/TX	AIR	BATTERY	130.00 108.33
21.4	MAKE-UP MIRROR/LIGHT CONTROL	WCT 400/TX	DIMMER	BATTERY	130.00 108.33
21.5	OPCC - OFF-PEAK CHANGEOVER CONTACTOR	ECO 7000	-	MAINS	170.00 141.67

NB. WE CAN SUPPLY YOU WITH A CIRCUIT DRAWING TO USE WITH ECONOMY 7

SPACE SAVING IP44 MyPICTURE WAVES RADIATOR (DEPTH 40mm)

LINE REF	CODE	DIMENSIONS (W X H X D)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	TRADE INC. VAT	TRADE EXC. VAT
Vertical							
22.1	ECO 2000D/IP44/WA/RX/V	500 x 2000 x 40	2000	1600	5459	800.00	666.67
22.2	ECO 1500D/IP44/WA/RX/V	500 x 1500 x 40	1500	1200	4094	700.00	583.33
22.3	ECO 1000D/IR44/WA/RX/V	500 x 1000 x 40	1000	800	2729	600.00	500.00
22.4	ECO 750D/IP44/WA/RX/V	500 x 750 x 40	750	600	2047	550.00	458.33
22.5	ECO 500D/IP44/WA/RX	500 x 500 x 40	500	400	1365	500.00	416.67
22.6	ECO 1000D/SB/IP44/WA/RX/V	250 x 2000 x 40	1000	800	2729	600.00	500.00
22.7	ECO 750D/SB/IP44/WA/RX/V	250 x 1500 x 40	750	600	2047	550.00	458.33
22.8	ECO 500D/SB/IP44/WA/RX/V	250 x 1000 x 40	500	400	1365	500.00	416.67
Horizontal							
23.1	ECO 2000D/IP44/WA/RX/H	2000 x 500 x 40	2000	1600	5459	800.00	666.67
23.2	ECO 1500D/IP44/WA/RX/H	1500 x 500 x 40	1500	1200	4094	700.00	583.33
23.3	ECO 1000D/IP44/WA/RX/H	1000 x 500 x 40	1000	800	2729	600.00	500.00
23.4	ECO 750D/IP44/WA/RX/H	750 x 500 x 40	750	600	2047	550.00	458.33
23.5	ECO 500D/IP44/WA/RX	500 x 500 x 40	500	400	1365	500.00	416.67
23.6	ECO 1000D/SB/IP44/WA/RX/H	2000 x 250 x 40	1000	800	2729	600.00	500.00
23.7	ECO 750D/SB/IP44/WA/RX/H	1500 x 250 x 40	750	600	2047	550.00	458.33
23.8	ECO 500D/SB/IP44/WA/RX/H	1000 x 250 x 40	500	400	1365	500.00	416.67
Tryptich Vertical							
24.1	ECO 1500D/IP44/WA/RX/V/3	500 x 1500 x 40 x3 Units	4500	3600	12276	1800.00	1500.00
24.2	ECO 750D/IP44/WA/RX/V/3	250 x 1500 x 40 x3 Units	2250	1800	6138	1500.00	1250.00

- CARRIAGE CHARGES NOT INCLUDED - ALL PRICES INCLUDE 20% VAT
- BESPOKE & SPECIAL NEEDS HEATERS AVAILABLE. PLEASE PHONE FOR A QUOTE
- WHEN DELIVERY IS MADE ON PALLETS, IT IS UPTO THE CUSTOMER TO UNLOAD AS THE DRIVER IS NOT CONTRACTED FOR THIS PURPOSE. ALL DELIVERIES ARE MADE TO THE GROUND FLOOR.
- ALL SPECIFICATIONS CAN CHANGE WITHOUT NOTICE.

- PLEASE CONSULT YOUR LOCAL NICEIC ELECTRICIAN
- CONNECT HEATERS TO A FUSED SPUR - BEST PRACTICE
- NON IP44 HEATERS CAN BE FITTED WITH A 13AMP PLUG