

# ECOLEC Price List 2019

Please telephone 01902 457575

Lot 20  
compliant



Wireless Heating Systems

All local space heaters manufactured for sale in the EU after 1st January 2018 which use electricity, gaseous or liquid fuels, must comply with a minimum efficiency standard. This includes electric radiators, electric underfloor heating and electric and gas fires.



**PROUDLY MANUFACTURED IN THE UK**

SPACE SAVING VERTICAL & HORIZONTAL RADIANT PANEL WITHOUT VENTS (DEPTH 40mm)							EFS 1001	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
1.1	ECO 2000D/RP/PC/RX	2000 x 500 x 40	2000	1600	5459	425.00	354.17	
1.2	ECO 1500D/RP/PC/RX	1500 x 500 x 40	1500	1200	4094	364.00	303.33	
1.3	ECO 1000D/RP/PC/RX	1000x 500 x 40	1000	800	2729	315.00	262.50	
1.4	ECO 750D/RP/PC/RX	750 x 500 x 40	750	600	2047	247.00	205.83	
1.5	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365	210.00	175.00	
1.6	ECO 1000D/SB/RP/PC/RX	2000 x 250 x 40	1000	800	2729	336.00	280.00	
1.7	ECO 750D/SB/RP/PC/RX	1500 x 250 x 40	750	600	2047	295.00	245.83	
1.8	ECO 500D/SB/RP/PC/RX	1000 x 250 x 40	500	400	1365	252.00	210.00	
<b>Powder Coated Silver RAL 9006</b>								
2.1	ECO 2000D/RP/PCS/RX	2000 x 500 x 40	2000	1600	5459	502.00	418.33	
2.2	ECO 1500D/RP/PCS/RX	1500 x 500 x 40	1500	1200	4094	441.00	367.50	
2.3	ECO 1000D/RP/PCS/RX	1000x 500 x 40	1000	800	2729	386.00	321.67	
2.4	ECO 750D/RP/PCS/RX	750 x 500 x 40	750	600	2047	315.00	262.50	
2.5	ECO 500D/RP/PCS/RX	500 x 500 x 40	500	400	1365	276.00	230.00	
2.6	ECO 1000D/SB/RP/PCS/RX	2000 x 250 x 40	1000	800	2729	405.00	337.50	
2.7	ECO 750D/SB/RP/PCS/RX	1500 x 250 x 40	750	600	2047	350.00	291.66	
2.8	ECO 500D/SB/RP/PCS/RX	1000 x 250 x 40	500	400	1365	315.00	262.50	
<b>Powder Coated Black RAL 9005</b>								
3.1	ECO 2000D/RP/PCB/RX	2000 x 500 x 40	2000	1600	5459	502.00	418.33	
3.2	ECO 1500D/RP/PCB/RX	1500 x 500 x 40	1500	1200	4094	441.00	367.50	
3.3	ECO 1000D/RP/PCB/RX	1000x 500 x 40	1000	800	2729	386.00	321.67	
3.4	ECO 750D/RP/PCB/RX	750 x 500 x 40	750	600	2047	315.00	262.50	
3.5	ECO 500D/RP/PCB/RX	500 x 500 x 40	500	400	1365	276.00	230.00	
3.6	ECO 1000D/SB/RP/PCB/RX	2000 x 250 x 40	1000	800	2729	405.00	337.50	
3.7	ECO 750D/SB/RP/PCB/RX	1500 x 250 x 40	750	600	2047	350.00	291.66	
3.8	ECO 500D/SB/RP/PCB/RX	1000 x 250 x 40	500	400	1365	315.00	262.50	
3.9	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 1.1 to 1.8</b>					132.00	110.00	

SPACE SAVING VERTICAL IP44 GLASS RADIATOR - Body & Glass in matching RAL Colours							EFS 1005	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
4.1	ECO 500D/IP44/GR/RX	500 x 500 x 44	500	300	1023	530.00	441.66	
4.2	ECO 750D/IP44/GR/RX	750 x 500 x 44	750	450	1535	590.00	491.66	
4.3	ECO 1000D/IP44/GR/RX	1000 x 500 x 44	1000	600	2047	690.00	575.00	
4.4	ECO 1500D/IP44/GR/RX	1500 x 500 x 44	1500	900	3070	765.00	637.50	
4.5	ECO 2000D/IP44/GR/RX	2000 x 500 x 44	2000	1300	4435	860.00	716.66	
4.6	ECO 500D/SB/IP44/GR/RX	1000 x 250 x 44	500	300	1023	570.00	475.00	
4.7	ECO 750D/SB/IP44/GR/RX	1500 x 250 x 44	750	450	1535	655.00	545.83	
4.8	ECO 1000D/SB/IP44/GR/RX	2000 x 250 x 44	1000	600	2047	750.00	625.00	

**SELECTED RAL COLOURS AVAILABLE - SEE CHART**

**OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575**

Sharrocks Street, Wolverhampton WV1 3RP

Tel: **01902 457575** Fax: **01902 457797** Email: [sales@ecolec.co.uk](mailto:sales@ecolec.co.uk) Website: [www.ecolec.co.uk](http://www.ecolec.co.uk)

## SPACE SAVING VERTICAL IP44 MIRROR RADIATOR - Available in White, Black or Silver body.

EFS 1006

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
5.1	ECO 500D/IP44/MR/RX	500 x 500 x 44	500	300	1023	360.00	300.00
5.2	ECO 750D/IP44/MR/RX	750 x 500 x 44	750	450	1535	430.00	358.33
5.3	ECO 1000D/IP44/MR/RX	1000 x 500 x 44	1000	600	2047	525.00	437.50
5.4	ECO 1500D/IP44/MR/RX	1500 x 500 x 44	1500	900	3070	605.00	504.16
5.5	ECO 2000D/IP44/MR/RX	2000 x 500 x 44	2000	1300	4435	700.00	583.33
5.6	ECO 500D/SB/IP44/MR/RX	1000 x 250 x 44	500	300	1023	400.00	333.33
5.7	ECO 750D/SB/IP44/MR/RX	1500 x 250 x 44	750	450	1535	475.00	395.83
5.8	ECO 1000D/SB/IP44/MR/RX	2000 x 250 x 44	1000	600	2047	600.00	500.00
5.9	ECO 500D/CIR/IP44/PC/RX	614 Diameter x 44	500	300	1023	450.00	375.00

## SPACE SAVING VERTICAL IP44 BATHROOM PANEL (DEPTH 40mm)

EFS 1008

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White</b>							
7.1	ECO 2000D/IP44/PC/RX	2000 x 500 x 40	2000	1600	5459	425.00	354.17
7.2	ECO 1500D/IP44/PC/RX	1500 x 500 x 40	1500	1200	4094	364.00	303.33
7.3	ECO 1000D/IP44/PC/RX	1000 x 500 x 40	1000	800	2729	315.00	262.50
7.4	ECO 500D/IP44/PC/RX	500 x 500 x 40	500	400	1365	210.00	175.00
7.5	ECO 2546/IP44/PC/RX	600 x 400 x 40	250	200	682	192.00	160.00
7.6	ECO 546/IP44/PC/RX	600 x 400 x 40	500	400	1365	210.00	175.00
7.7	ECO 500D/SB/IP44/PC/RX	1000 x 250 x 40	500	400	1365	252.00	210.00
7.8	ECO 750D/SB/IP44/PC/RX	1500 x 250 x 40	750	600	2047	295.00	245.83
7.9	ECO 1000D/SB/IP44/PC/RX	2000 x 250 x 40	1000	800	2729	336.00	280.00
7.10	ECO 750D/IP44/PC/RX	750 x 500 x 40	750	600	2047	247.00	205.83
7.11	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 7.1 to 7.10</b>					132.00	110.00
<b>Accessories</b>							
8.1	2 Polished Stainless Steel Towel Rails	500 x2				80.00	66.67
8.2	1 Polished Stainless Steel Towel Rail	500				40.00	33.33
8.3	1 Polished Stainless Steel Towel Rail	400				35.00	29.17
8.4	1 Polished Stainless Steel Towel Rail	250				30.00	25.00
8.5	1 Polished Stainless Steel Towel Rail	640				60.00	50.00
8.6	1 Polished Stainless Steel Towel Rail	740				72.00	60.00
8.7	1 Polished Stainless Steel Towel Rail	900				84.00	70.00
8.8	Pullcord Time Switch					46.00	38.33

## SPACE SAVING RADIANT PANEL FOR USE IN HOMES, FARMS, CARAVAN PARKS and OFF-GRID SITUATIONS USING PV SOLAR CELLS and HOME ENERGY BATTERY STORAGE PACK (DEPTH 40mm)

EFS 1046

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)		
<b>Powder Coated White</b>							
9.1	ECO 250D/RP/PC/RX	500 x 500 x 40	250	200	682		
9.2	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365		
9.3	ECO 750D/RP/PC/RX	750 x 500 x 40	750	600	2047		

ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575

Room temperature sensor fitted inside

WCT 100TX/500TX/600TX

Sharrocks Street, Wolverhampton WV1 3RP

Tel: 01902 457575 Fax: 01902 457797 Email: [sales@ecolec.co.uk](mailto:sales@ecolec.co.uk) Website: [www.ecolec.co.uk](http://www.ecolec.co.uk)

HEALTHCARE 43°C PANEL RADIATORS (DEPTH 40mm)								EFS 1012 / EFS 1048	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	RUNNING COSTS PER HOUR	RUNNING COSTS PER 8 HOUR DAY
10.1	ECO 1000DLL/IP44/PC/RX/43	2000 x 500 x 40	1000	590	2013	425.00	354.17	8.26p	66.08p
10.2	ECO 1000DL/IP44/PC/RX/43	1500 x 500 x 40	1000	443	1511	364.00	303.33	6.20p	49.60p
10.3	ECO 500DLL/IP44/PC/RX/43	1000 x 500 x 40	500	295	1006	315.00	262.50	4.13p	33.04p
10.4	ECO 500DL/IP44/PC/RX/43	750 x 500 x 40	500	222	757	247.00	205.83	3.10p	24.80p
10.5	ECO 250DLL/IP44/PC/RX/43	500 x 500 x 40	250	148	505	210.00	175.00	2.00p	16.00p
10.6	ECO 250DLL/SB/IP44/PC/RX/43	1000 x 250 x 40	250	148	505	252.00	210.00	2.00p	16.00p
10.7	ECO 500DL/SB/IP44/PC/RX/43	1500 x 250 x 40	500	222	757	295.00	245.83	3.10p	24.80p
10.8	ECO 500DLL/SB/IP44/PC/RX/43	2000 x 250 x 40	500	295	1006	336.00	280.00	4.13p	33.04p
10.9	ECO 2000DLL/IP44/PC/RX/43	2000 x 1000 x 40	2000	1180	4026	720.00	600.00	16.52p	£1.32
10.10	ECO 2000DL/IP44/PC/RX/43	1500 x 1000 x 40	2000	886	3012	630.00	525.00	12.04p	£1.24
<b>SELECTED RAL COLOURS AVAILABLE - SEE CHART</b>								<b>(rate based on 0.14p per kW hour)</b>	
<b>OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE <a href="mailto:SALES@ECOLEC.CO.UK">SALES@ECOLEC.CO.UK</a> OR PHONE 01902 457575</b>									

SPACE SAVING VERTICAL IP44 <b>SAFE TO TOUCH</b> 55°C RADIANT SCHOOL PANEL (DEPTH 40mm)								EFS 1013	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT		
<b>Powder Coated White</b>									
12.1	ECO 1000DLL/IP44/PC/RX/55	2000 x 500 x 40	1000	860	2934	425.00	354.17		
12.2	ECO 1000DL/IP44/PC/RX/55	1500 x 500 x 40	1000	642	2190	364.00	303.33		
12.3	ECO 500DLL/IP44/PC/RX/55	1000 x 500 x 40	500	425	1450	315.00	262.50		
12.4	ECO 500DL/IP44/PC/RX/55	750 x 500 x 40	500	321	1095	247.00	205.83		
12.5	ECO 250DLL/IP44/PC/RX/55	500 x 500 x 40	250	214	730	210.00	175.00		
12.6	ECO 250DLL/SB/IP44/PC/RX/55	1000 x 250 x 40	250	214	730	252.00	210.00		
12.7	ECO 500DL/SB/IP44/PC/RX/55	1500 x 250 x 40	500	321	1095	295.00	245.83		
12.8	ECO 500DLL/SB/IP44/PC/RX/55	2000 x 250 x 40	500	425	1450	336.00	280.00		
12.9	ECO 2000DLL/IP44/PC/RX/55	2000 x 1000 x 40	2000	1560	5322	720.00	600.00		
<b>SELECTED RAL COLOURS AVAILABLE - SEE CHART</b>								<b>OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE <a href="mailto:SALES@ECOLEC.CO.UK">SALES@ECOLEC.CO.UK</a> OR PHONE 01902 457575</b>	

HEALTHCARE LST 43°C FAN HEATER (DEPTH 100mm) WORKS WITH WCT 100/TX CONTROLLER								EFS 1016	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT		
<b>Powder Coated White</b>									
13.1	LSTH 2000/43/PC/RX	1000 x 500 x 100	1900	1900	6482	256.00	213.33		
13.2	LSTH 1000/43/PC/RX	600 x 300 x 100	950	950	3241	219.00	182.50		
<b>Powder Coated Silver</b>									
13.3	LSTH 2000/43/PCS/RX	1000 x 500 x 100	1900	1900	6482	276.00	230.00		
13.4	LSTH 1000/43/PCS/RX	600 x 300 x 100	950	950	3241	259.00	215.83		
<b>Powder Coated Black</b>									
13.5	LSTH 2000/43/PCB/RX	1000 x 500 x 100	1900	1900	6482	276.00	230.00		
13.6	LSTH 1000/43/PCB/RX	600 x 300 x 100	950	950	3241	259.00	215.83		

RADIANT CEILING HEATER SYSTEMS (DEPTH 35mm)							EFS 1018	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
14.1	ECO 300/80/FF/RP/PC/RX	595 x 595 x 40	300	200	682	220.00	183.33	
14.2	ECO 600/80/FF/RP/PC/RX	1195 x 595 x 40	600	400	1364	278.00	231.66	
14.3	ECO 750/80/FF/RP/PC/RX	1195 x 595 x 40	750	600	2047	306.00	255.00	
14.4	ECO 1000/80/FF/RP/PC/RX	1785 x 595 x 40	1000	800	3412	330.00	275.00	
14.5	ECO 1000/CE/RP/PC/RX	2000 x 500 x 40	1000	800	2729	425.00	354.17	
14.6	ECO 750/CE/RP/PC/RX	1500 x 500 x 40	750	600	2047	364.00	303.33	
14.7	ECO 500/CE/RP/PC/RX	1000 x 500 x 40	500	400	1365	315.00	262.50	
14.8	ECO 750X/CE/RP/PC/RX	1000 x 750 x 40	750	600	2047	360.00	300.00	
<b>Powder Coated Black</b>								
14.10	ECO 1000/CE/RP/PCB/RX	2000 x 500 x 40	1000	800	2729	502.00	418.33	
14.11	ECO 750/CE/RP/PCB/RX	1500 x 500 x 40	750	600	2047	441.00	367.50	
14.12	ECO 500/CE/RP/PCB/RX	1000 x 500 x 40	500	400	1365	386.00	321.67	
<b>Powder Coated Silver</b>								
14.13	ECO 1000/CE/RP/PCS/RX	2000 x 500 x 40	1000	800	2729	502.00	418.33	
14.14	ECO 750/CE/RP/PCS/RX	1500 x 500 x 40	750	600	2047	441.00	367.50	
14.15	ECO 500/CE/RP/PCS/RX	1000 x 500 x 40	500	400	1365	386.00	321.67	
<b>DISC HEAT CIRCLE</b>								
<b>Powder Coated White</b>								
14.16	ECO 250/CIR/RP/PC/RX	614mm Diameter	200	200	682	300.00	250.00	
<b>Powder Coated Black</b>								
14.17	ECO 250/CIR/RP/PCB/RX	614mm Diameter	200	200	682	360.00	300.00	
<b>Powder Coated Silver</b>								
14.18	ECO 250/CIR/RP/PCS/RX	614mm Diameter	200	200	682	360.00	300.00	
<b>HALF MOON</b>								
<b>Powder Coated White</b>								
14.19	ECO 500/HM/RP/PC/RX (x2 units)	1200mm Diameter Total	1000	800	2729	504.00	420.00	

CONTROLLERS							EFS 1037	
LINE REF		MODEL	SENSOR	POWER	PRICE INC. VAT	PRICE EXC. VAT		
15.1	REMOTE THERMOSTAT/TIMER	WCT 100/TX	AIR	BATTERY	105.00	87.50		
15.2	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ 70 °C	WCT 500/TX/70	AIR	BATTERY	140.00	116.67		
15.3	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ 55 °C	WCT 500/TX/STT	AIR	BATTERY	140.00	116.67		
15.4	230V MAINS KIT FOR WCT 100TX/500TX	MK1	AIR	MAINS	72.00	60.00		
15.6	4 HOUR HEATER TIMER WITH LED DIMMER	WCT 600/TX	DIMMER	BATTERY	130.00	108.33		



Room temperature  
sensor fitted inside

TRAPEZIUM ANTI-GLARE LED MIRROR RADIATOR (DEPTH 44mm)								AFS 1003
LINE REF	CODE	DIMENSIONS (H X W X D) MM	LED (WATTS)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White</b>								
17.1	AUR 500D/PC/IP44/MR/LED	500 x 500 x 44	10	500	300	1023	530.00	441.67
17.2	AUR 1000D/PC/IP44/MR/LED	1000 x 500 x 44	20	1000	600	2046	670.00	558.33
17.3	AUR 1500D/PC/IP44/MR/LED	1500 x 500 x 44	30	1500	900	3070	750.00	625.00
17.4	AUR 750D/SB/PC/IP44/MR/LED	1500 x 250 x 44	30	750	450	2046	700.00	583.33

SPACE SAVING RADIANT PANEL FOR USE IN HOMES, FARMS, CARAVAN PARKS and OFF-GRID SITUATIONS USING PV SOLAR CELLS and HOME ENERGY BATTERY STORAGE PACK (DEPTH 40mm)								EFS 1046
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White</b>								
18.1	ECOLECSOLAR 250D	500 x 500 x 40	250	200	682			
18.2	ECOLECSOLAR 500D	500 x 500 x 40	500	400	1365			
18.3	ECOLECSOLAR 750D	500 x 750 x 40	750	600	2047			
18.4	ECOLECSOLAR 750D/SB	250 x 1500 x 40	750	600	2047			

ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575

SPACE SAVING RADIANT PANEL BRUSHED STAINLESS STEEL OR MIRROR FINISH (DEPTH 40mm)								EFS 1002
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Brushed Stainless Steel</b>								
19.1	ECO 1000DLL/RP/SS/RX	2000 x 500 x 40	1000	980	3343	625.00	520.83	
19.2	ECO 1000DL/RP/SS/RX	1500 x 500 x 40	1000	735	2507	536.00	446.66	
19.3	ECO 500DLL/RP/SS/RX	1000 x 500 x 40	500	490	1671	470.00	391.66	

	RAL 1014 IVORY		RAL 6019 PASTEL GREEN
	RAL 1015 LIGHT IVORY		RAL 6034 PASTEL TURQUOISE
	RAL 5008 GREY BLUE		RAL 7016 ANTHRACITE GREY
	RAL 3003 RUBY RED		RAL 7024 GRAPHITE GREY
	RAL 3022 SALMON PINK		RAL 7032 PEBBLE GREY
	RAL 4009 PASTEL VIOLET		RAL 7047 TELE GREY 4
	RAL 5002 ULTRAMARINE BLUE		RAL 8004 COPPER BROWN
	RAL 5015 SKY BLUE		RAL 8017 CHOCOLATE BROWN
	RAL 5024 PASTEL BLUE		RAL 9001 CREAM

## SPACE SAVING VERTICAL &amp; HORIZONTAL POWDER COATED RADIANT PANEL (DEPTH 40mm)

EFS 1055

Compatible with Nest, Honeywell, KNX, Raspberry Pi and other controllers

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White</b>							
20.1	ECO 2000D/RP/PC/RZ	2000 x 500 x 40	2000	1600	5459	425.00	354.17
20.2	ECO 1500D/RP/PC/RZ	1500 x 500 x 40	1500	1200	4094	364.00	303.33
20.3	ECO 1000D/RP/PC/RZ	1000x 500 x 40	1000	800	2729	315.00	262.50
20.4	ECO 750D/RP/PC/RZ	750 x 500 x 40	750	600	2047	247.00	205.83
20.5	ECO 500D/RP/PC/RZ	500 x 500 x 40	500	400	1365	210.00	175.00
20.6	ECO 1000D/SB/RP/PC/RZ	2000 x 250 x 40	1000	800	2729	336.00	280.00
20.7	ECO 750D/SB/RP/PC/RZ	1500 x 250 x 40	750	600	2047	295.00	245.83
20.8	ECO 500D/SB/RP/PC/RZ	1000 x 250 x 40	500	400	1365	252.00	210.00
3.9	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 20.1 to 20.8</b>					132.00	110.00
<b>Powder Coated Silver</b>							
21.1	ECO 2000D/RP/PCS/RZ	2000 x 500 x 40	2000	1600	5459	502.00	418.33
21.2	ECO 1500D/RP/PCS/RZ	1500 x 500 x 40	1500	1200	4094	441.00	367.50
21.3	ECO 1000D/RP/PCS/RZ	1000x 500 x 40	1000	800	2729	386.00	321.67
21.4	ECO 750D/RP/PCS/RZ	750 x 500 x 40	750	600	2047	315.00	262.50
21.5	ECO 500D/RP/PCS/RZ	500 x 500 x 40	500	400	1365	276.00	230.00
21.6	ECO 1000D/SB/RP/PCS/RZ	2000 x 250 x 40	1000	800	2729	405.00	337.50
21.7	ECO 750D/SB/RP/PCS/RZ	1500 x 250 x 40	750	600	2047	350.00	291.66
21.8	ECO 500D/SB/RP/PCS/RZ	1000 x 250 x 40	500	400	1365	315.00	262.50
<b>Powder Coated Black</b>							
22.1	ECO 2000D/RP/PCB/RZ	2000 x 500 x 40	2000	1600	5459	502.00	418.33
22.2	ECO 1500D/RP/PCB/RZ	1500 x 500 x 40	1500	1200	4094	441.00	367.50
22.3	ECO 1000D/RP/PCB/RZ	1000x 500 x 40	1000	800	2729	386.00	321.67
22.4	ECO 750D/RP/PCB/RZ	750 x 500 x 40	750	600	2047	315.00	262.50
22.5	ECO 500D/RP/PCB/RZ	500 x 500 x 40	500	400	1365	276.00	230.00
22.6	ECO 1000D/SB/RP/PCB/RZ	2000 x 250 x 40	1000	800	2729	405.00	337.50
22.7	ECO 750D/SB/RP/PCB/RZ	1500 x 250 x 40	750	600	2047	350.00	291.66
22.8	ECO 500D/SB/RP/PCB/RZ	1000 x 250 x 40	500	400	1365	315.00	262.50
22.9	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 20.1 to 20.8</b>						

## TRAPEZIUM ANTI-GLARE LED MIRROR RADIATOR &amp; CURVE ANTI-GLARE LED RADIATOR

AFS 1003/1004

LINE REF	CODE	DIMENSIONS (H X W X D) MM	LED (WATTS)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)
<b>Powder Coated White</b>						
40.1	AUR 750D/PC/IP44/CUR/LED	750 x 500 x 62	30	750	600	2047
40.2	AUR 500D/PC/IP44/CUR/LED	1500 x 500 x 62	30	1500	1200	4094
<b>ASK FOR A QUOTE <a href="mailto:SALES@ECOLEC.CO.UK">SALES@ECOLEC.CO.UK</a> OR PHONE 01902 457575</b>						

- CARRIAGE CHARGES NOT INCLUDED - ALL PRICES INCLUDE 20% VAT
- BESPOKE & SPECIAL NEEDS HEATERS AVAILABLE. PLEASE PHONE FOR A QUOTE
- WHEN DELIVERY IS MADE ON PALLETS, IT IS UPTO THE CUSTOMER TO UNLOAD AS THE DRIVER IS NOT CONTRACTED FOR THIS PURPOSE. ALL DELIVERIES ARE MADE TO THE GROUND FLOOR.
- ALL SPECIFICATIONS CAN CHANGE WITHOUT NOTICE.

- PLEASE CONSULT YOUR LOCAL NICEIC ELECTRICIAN
- CONNECT HEATERS TO A FUSED SPUR - BEST PRACTICE
- NON IP44 HEATERS CAN BE FITTED WITH A 13AMP PLUG

Sharrocks Street, Wolverhampton WV1 3RP

Tel: **01902 457575** Fax: **01902 457797** Email: [sales@ecolec.co.uk](mailto:sales@ecolec.co.uk) Website: [www.ecolec.co.uk](http://www.ecolec.co.uk)